

## CLAIMS

1. A data display control device comprising:

a database storing a plurality of data with at least a first size;

search means for searching the database for at least one piece of data with the first size, based on an input search key; and

control means for controlling to obtain partial data with second size that is smaller than the first size and corresponding to a size of a display, out of the at least one piece of data found by the search means, from the database, and to display the partial data on the display.

2. The data display control device according to claim 1, further comprising

instruction means for issuing an instruction for scroll display of the partial data being displayed on the display, wherein

the control means controls to obtain remaining data other than the partial data from the database and to perform the scroll display on the display, in response to the instruction.

3. The data display control device according to claim 1, wherein

the control means controls to obtain a data part, that is

larger than the second size and smaller than the first size, out of the at least one piece of data found by the search means, with the data part added to the partial data, from the database, and to perform scroll display on the display.

4. The data display control device according to claim 1, wherein

the control means controls to obtain a prescribed maximum number of data, out of a plurality of data found by the search means, from the database and temporarily store the prescribed maximum number of data in a storage medium, and displays a part of the prescribed maximum number of data on the display in accordance with a size of the display.

5. A data display control method comprising:

a search step of searching a database for at least one piece of data out of data with a first size, based on an input search key, the database storing a plurality of data with at least the first size; and

a control step of controlling to obtain partial data with a second size that is smaller than the first size and corresponding to a size of a display, out of the at least one piece of data found in the search step, from the database, and to display the partial data on the display.

6. A data display control program causing a data display control device to execute:

a search step of searching a database for at least one piece of data out of data with a first size, based on an input search key, the database storing a plurality of data with at least the first size; and

a control step of controlling to obtain partial data with a second size that is smaller than the first size and corresponding to a size of a display, out of the at least one piece of data found in the search step, from the database, and to display the partial data on the display.